UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/704,467	10/31/2000	Charles P. Roth	10559-286001	5582	
20985 7590 03/08/2007 FISH & RICHARDSON, PC P.O. BOX 1022			EXAMINER		
			LI, AIMEE J		
MINNEAPOL	IS, MN 55440-1022		ART UNIT	PAPER NUMBER	
			2183		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVER	DELIVERY MODE	
3 MO	NTHS	03/08/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<u> </u>		Application No.	Applicant(s)			
		09/704,467	ROTH ET AL.			
Off	fice Action Summary	Examiner	Art Unit			
		Aimee J. Li	2183			
The fi Period for Repl	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status	•					
2a) ☐ This a 3) ☐ Since	onsive to communication(s) filed on <u>17 No</u> ction is <b>FINAL</b> . 2b)⊠ This this application is in condition for alloward in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of (	Claims					
<ul> <li>4)  Claim(s) 1,3,5-9,11-16,18-21 and 23-31 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1,3,5-9,13-16,19-21 and 24-31 is/are rejected.</li> <li>7)  Claim(s) 11,12,18 and 23 is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Application Pag	pers					
9)☐ The sp 10)⊠ The dra Applica Replac	ecification is objected to by the Examine awing(s) filed on 31 October 2000 is/are: ant may not request that any objection to the dement drawing sheet(s) including the correct of the ordeclaration is objected to by the Examination is objected to be a continuous in the Examination is objected to be a continuous in the Examination is objected to be a continuous in the Examination is objected to be a continuous in the Examination is objected to be a continuous in the Examination is objected to be a continuous in t	a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 3	35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)	00. 1/222 222	, <b>.</b>				
2) Notice of Draf	erences Cited (PTO-892)  Itsperson's Patent Drawing Review (PTO-948)  isclosure Statement(s) (PTO/SB/08)  Iail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	ite			

Art Unit: 2183

### **DETAILED ACTION**

1. Claims 1, 3, 5-9, 11-16, 18-21, and 23-31 have been considered.

- 2. In view of the Appeal Brief filed on 17 November 2006, PROSECUTION IS HEREBY REOPENED. The new rejections are set forth below.
- 3. To avoid abandonment of the application, appellant must exercise one of the following two options:
  - (1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,
  - (2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.
- 4. A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below.

### Allowable Subject Matter

- 5. Claims 11, 12, 18, and 23 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 6. The following is a statement of reasons for the indication of allowable subject matter:

  The allowable claims contain the limitations, taking claim 11 as exemplary, "determining a

Art Unit: 2183

validity of each of the plurality of instructions before processing by reading bits in each instruction indicating a width of the instruction." The limitation was found in the prior art searched, specifically determining the validity of an instruction of each of the plurality of instructions before processing, but did not provide a sound motivation for combining, since most test interfaces are developed under the assumption that they will be written to be automatically compatible with the system.

### Claim Objections

- 7. Claim 1 is objected to because of the following informalities: Please correct "providing the first instruction to a decoder of the processor..." to read --providing the first instruction to a decoder of [[the]]a processor--, in order to remove questions with regards to antecedent basis within the claim, since a processor has not been previously established within the claim language.
- 8. Appropriate correction is required.

### Claim Rejections - 35 USC § 101

9. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

10. Claims 1, 3, 5, 6, 7, 8, 24, 25, 30, and 31 are rejected under 35 U.S.C. 101 because there is no concrete tangible results for a possible outcome of the conditional claim. Claim 1 recites the conditional limitations "providing the first instruction to a decoder of the processor if the first instruction is valid" and "providing the second instruction to the decoder if the second instruction is valid". However, claim 1 or any of its dependents specify what occurs when the instructions are invalid, such as discarding the invalid instructions. The dependent claims further limit

Art Unit: 2183

specific steps recited within claim 1 or specify an intended use for the method recited, however, the final steps, even after modification by the dependent claims, are still dependent on the instructions being valid and never clarify what happens if the instructions are invalid. Without clarification of what occurs when the instructions are invalid, the final result of the claims is determining the instructions' validity, which is not a final tangible result., since it is not providing or making the instructions available for further processing, such as discarding the invalid instructions.

Page 4

# Claim Rejections - 35 USC § 102

11. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 12. Claims 9, 16, 21, and 27-29 are rejected under 35 U.S.C. 102(e) as being taught by Xu et al., U.S. Patent Number 6,070,252 (herein referred to as Xu).
- 13. Referring to claim 9, Xu has taught a method of providing instructions to a processor, the method comprising:
  - a. Loading a plurality of instructions into an emulation instruction register from a test interface (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2' column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4). In regards to Xu, the emulation instruction register can be any

Art Unit: 2183

number of registers that accept the instructions indicated by the test interface, including the instruction register 308 in Figure 3.

Page 5

- b. Receiving a run-test idle state signal, the run-test idle state signal indicating entry of the test interface into a run-test idle state (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2' column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4);
- c. Providing the plurality of instructions to the processor in response to the receipt of the run-test idle state signal (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2' column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4); and
- d. Processing the plurality of instructions without receiving another run-test idle state signal (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2' column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4). In regards to Xu, the initial instruction to set the DFU flags is issued in response to the run-test idle state signal, and these flags are used to determine where the instructions and data for the test routine are provided from.
- 14. Referring to claim 16, Xu has taught a processor comprising:
  - a. A test interface (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4);
  - b. An emulation instruction register adapted to store a plurality of emulation instructions received from the test interface (Xu Abstract; column 3, lines 32-62;

Art Unit: 2183

Page 6

column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4). In regards to Xu, the emulation instruction register can be any number of registers that accept the instructions indicated by the test interface, including the instruction register 308 in Figure 3.

- c. Emulation control logic adapted to supply the plurality of emulation instructions to a processor pipeline in response to detection of an entry of the test interface into a run-test idle state (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4). In regards to Xu, the initial instruction to set the DFU flags is issued in response to the run-test idle state signal, and these flags are used to determine where the instructions and data for the test routine are provided from.
- d. A decoder to receive the plurality of instructions for processing (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; column 6, line65 to column 7, line 15; Figure 1A; Figure 1B; Figure 3; Figure 4; and Figure 5). In regards to Xu, the processor core is shown in relation to the system pin approach described, however, the essential elements in the processing core, e.g. Instruction Fetch Unit, Instruction Decoder, Pipeline Sequencer, Execution units, and Register File, remain the same. The only difference between the processor core in Figure 5 and the CPU core in

Art Unit: 2183

Figure 4 would be the BOSTPAT and DATA-VALID pins (Xu column 7, lines 28-31).

Page 7

- 15. Referring to claim 21, Xu has taught an apparatus, including operating instructions residing on a machine-readable storage medium, for use in a device to handle a plurality of emulation instructions, the operating instructions causing the device to:
  - a. Load the plurality of emulation instructions into a single emulation instruction register (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4). In regards to Xu, the emulation instruction register can be any number of registers that accept the instructions indicated by the test interface, including the instruction register 308 in Figure 3.
  - b. Have a test interface enter a run-test idle state (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4);
  - c. Provide the plurality of emulation instructions to a processor in response to entry of the test interface into the run-test idle state (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4); and
  - d. Process the plurality of emulation instructions (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4). In regards to Xu, the initial instruction to set the DFU flags is issued in response to the run-test idle state

Art Unit: 2183

signal, and these flags are used to determine where the instructions and data for the test routine are provided from.

Page 8

- 16. Referring to claim 27, Xu has taught the processor of Claim 16, wherein the emulation control logic comprises a state machine (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4).
- 17. Referring to claim 28, Xu has taught the processor of Claim 16 further comprises a multiplexer to select between an instruction for the plurality of instructions to send to the processor pipeline (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4).
- 18. Referring to claim 29, Xu has taught the apparatus of Claim 21, further comprising an incircuit emulator to monitor operations of the processor (Xu Abstract; column 3, lines 32-62; column 4, line 32 to column 5, line 2; column 5, lines 25-56; column 6, lines 4-63; Figure 1A; Figure 1B; Figure 3; and Figure 4). In regards to Xu, the BIST monitors whether a circuit is performing correctly, since it tests itself to ensure proper functionality.

## Claim Rejections - 35 USC § 103

- 19. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 20. Claims 13-15, 19, and 26 rejected under 35 U.S.C. 103(a) as being unpatentable over Xu et al., U.S. Patent Number 6,070,252 (herein referred to as Xu), as applied to claims 9, 16, and

Art Unit: 2183

21 above, in view of Nakano, U.S. Patent Number 5,774,737 (herein referred to as Nakano). Xu has not taught

- a. Loading a next instruction into the emulation instruction register if a no-operation instruction is loaded (Applicant's claims 13 and 19).
- b. Providing the plurality of instructions to the processor a plurality of times without reloading the instruction register (Applicant's claim 14).
- c. Providing the plurality of instructions to a digital signal processor (Applicant's claims 15 and 20).
- d. Wherein the emulation instruction register comprises first and second registers
   (Applicant's claim 26).

# 21. Nakano has taught

- a. Loading a next instruction into the emulation instruction register if a no-operation instruction is loaded (Applicant's claims 13 and 19) (Nakano column 2, lines 37-40 and 63-65; column 9, lines 11-23; column 10, line 57 to column 11, line2; Figure 2; and Figure 5).
- b. Providing the plurality of instructions to the processor a plurality of times without reloading the instruction register (Applicant's claim 14) (Nakano column 2, lines 37-40 and 63-65; column 9, lines 11-23; column 10, line 57 to column 11, line2; Figure 2; and Figure 5).
- c. Providing the plurality of instructions to a digital signal processor (Applicant's claims 15 and 20) (Nakano column 5, line 44 to column 6, line 3 and Figure 1).

Art Unit: 2183

d. Wherein the emulation instruction register comprises first and second registers
 (Applicant's claim 26) (Nakano column 5, lines 25-29; column 6, lines 4-25;
 Figure 1; and Figure 2).

22. A person of ordinary skill in the art at the time the invention was made would have recognized, and as taught by Nakano, that the VLIW system uses instruction memories more effectively, executes more instructions simultaneously, and has compatible with programs for conventional processors (Nakano column 1, line 63 to column 2, lines 11). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the VLIW system of Nakano in the device of Xu to improve memory usage, instruction execution, and compatibility.

## Response to Arguments

23. Applicant's arguments, see Appeal Brief, filed 17 November 2006, with respect to the rejection(s) of claim(s) 1, 3, 5-9, 11-16, 18-21, and 23-31 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of the above rejection.

#### Conclusion

- 24. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
  - a. Russell, U.S. Patent Number 5.887.001, has taught a test interface that issues instructions in response to a given signal.
  - b. Arimoto et al., U.S. Patent Number 6,404,684, has taught a test interface whose instructions are selected via a selector in response to a signal.

Art Unit: 2183

Ricken, U.S. Patent Number 6,665,817, has taught a diagnostic mode that tests, c.

debugs, and monitors activity within the system.

25. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Aimee J. Li whose telephone number is (571) 272-4169. The

examiner can normally be reached on M-T 7:00am-4:30pm.

26. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

27. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AJL Aimee J. Li

01 March 2007